Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX.

Acrostalagmus:
  Produced from cultures of *Fenestella*, 118, 123.
  Spores do not produce pycnidia, 118, 122.
Æcidiospores of *Uredineæ*, 103, 104.
Æcidium:
  Associated with *Puccinia tanaceti*, 31, 85.
  Of *Phragmidium subcorticium*, 32.
  On *Artemisia*, nomenclature of, 85.
  On *Berberis*, nomenclature of, 85.
  Sexual organs in, 44.
Agarics, North American, 58, 135.
Alcohol in sorghum blight, 195, 197, 199.
American vines:
  Adaptation to French soils, 223.
  Species of, 223.
Ammoniacal carbonate of copper:
  Cost of, 212, 214.
  For apple scab, 210, 211, 212, 213.
  Formula for, 206, 211.
  For powdery mildew of the bean, 214.
  How prepared, 211.
  Injury to apples from, 211.
  Strength of, 211.
Anderson, F. W., wishes specimens, 188.
Antheridium of *Uromyces poæ*, 44.
Anthracnose:
  Of the bean, 161.
  Of the grape, 45, 224.
Apothecia of *Sclerotium vaccini*, 40.
  On *Prunus padus*, 41.
Apple:
  Observations on rot of, 129.
  Rot induced in, 131.
  Treatment of bitter-rot of, 37.
Apples and pears, cracking of, 33.
Apple-scab and gooseberry mildew, experiments in treatment of, 33.
Apple scab:
  Comparative size of apples affected with, 213.
  Cost of treatment of, 213.
  Early applications necessary, 214.
  First appearance at Lansing, 211.
  In New Zealand, 200.
  Number of applications for, 210, 213.
  Results of treatment, 35, 211, 214.
  Treatment of, 35, 210.
Apple trees:
  Disease of, in France, 106.
  Effects of root fungus on, 199.
Applications of remedies:
  Date of beginning, 214.
  For bitter-rot of apples, 37.
  For black-rot of grapes, 219.
  For insects and fungi united, 214.
  For plum leaf blight, 38.
  For tomato rot, 227.
  Number necessary for apple scab, 213.
Apricots:
  Fungi on, 222.
  Rot induced in, 131.
Arsenic, used for smut, 89.
Arthur, J. C., on smut of wheat and oats, 165.
Asci:
  Of black-rot, mode of discharging spores, 45.
  Of *Sclerotium vaccini*, 40.
Ascomycetes, life-history of, 53.
Ascospores:
  Of black-rot covered with earth, effect on, 92.
  Of *Cucurbitaria platani*, 181, 184.
  Of *Fenestella platani*, 116.
  Of *Peziza tuberosa*, 225.
Ash-leaf rust, 95.
Asparagus berries:
  Black spot of, 157.
  Fungi on, 158.
Australia, rust of flax in, 215.
Bacteria:
  In plants, 176.
  In sorghum blight, 43, 196, 197, 198.
Bagging grapes for black-rot, 204.
Barberry bushes, influence on wheat rust, 104,
Barley:
  Infection of, by smut, 42.
  Propagation and prevention of smut in, 42.
  Treatment for smut, 113, 167.
Basidiomycetes, synopses of, 179.
Basidia, as a basis of classification, 99.
Bean, E., sulphur powder prepared by, 210, 211.
Bean:
  Anthracnose of, 161.
  New Phytophthora on, 221.
  Powdery mildew of, 214.
Beucker, Georges, traitement du mildiou, 216.
Berkeley's types in Kew herbarium, 215.
Bermuda, powdery mildew in, 214.
Bitter-rot:
  Of the apple, sulphuret of potassium for, 37.
  Of the grape, 223.
Black-knot of plum and cherry, 176.
Black-rot of grapes, 45, 223.
  Ascospores as affected by covering with earth, 92.
  An experiment in the treatment of, 204.
  Bagging for, 204.
  Cost of treatment, 205, 207, 208.
  Early treatment necessary, 209.
  Field experiments in fungicides, 219.
  In berries, 219.
  On leaves, 219.
  Parasite causing, 204.
  Perithecia of, 45.
  Treatment of, 205, 219, 220.
  Winter treatment for, 205.
Black smut, 165, 218.

- Blight:
  - Of peaches. (*See* Peach blight.)
  - Of pear and apple, 176.
  - Of sorghum. (*See* Sorghum blight.)
- Blue-stone, 43, 214. (*See* Copper sulphate.)
- Blue vitriol, 166. (*See* Copper sulphate.)
- *Boleti:*
  - Classification of, 220.
  - Edible species of, 221.
  - Seasons for, 221.
  - Of the United States, 220.
- Bolley, Henry L., on Heterœcismal Pucciniæ, 167.
- Bordeaux mixture
  - Cost of, 207.
  - For a tomato disease, 38.
  - For black-rot of grapes, 208.
  - Formula for, 206.
  - For plum leaf blight, 38.
  - For potato rot, 158, 178, 227.
  - Modified nozzle for applying, 96.
  - Used alternately with sulphosteatite, 227.
- *Botrytis:*
  - Ferment secreted by, 47.
  - Parasitic nature of, 46.
- Brefeld, Oscar:
  - Classification of fungi by, 98.
  - On Basidiomycetes, 98.
- Brunk, T. L., experiments by, 38.
- Calcium sulphide for apple scab, 35, 36, 37.
- California, vine disease in, 107.
- Canada balsam for fixing spores of Hymenomycetes, 163.
- Carbolic acid, used for smut, 89.
- Cavara, Dr. F., on Fungi of Lombardy, 168.
- Cherries, rot induced in, 131.
- Cherry:
  - Black-knot of, not in Europe, 176.
  - Gonidia and sclerotium on, 41.
  - Observations on rot of, 129.
- Chesapeake peninsula, peach rot in, 123, 135.
- Chestnut trees, disease of, in France, 106.
- Chlamydospores, 98, 99.
- *Cladosporium*, entomogenous species of, 173.
- *Cladosporium carpophilum:*
  - Causes spotting of peaches, 32.
  - Geographical distribution of, 33.
  - Injury to fruit from, 33.
  - Losses from, 33.
- *Cladosporium viticolum*, mode of surviving the winter, 93, 94.
- Classification:
  - Of fungi, 98, 100, 101.
  - Of Rusts and Smuts by Plowright, 105.
- *Claviceps purpurea:*
  - Altitude reached in Colorado, 84.
  - Effect on stock, 30.
  - In Montana, 30.
  - Prevalence of, in 1889, 203.
- Climax nozzle, 35.
- Clover, rust of, 161.
- Colorado fungi, 84.
- Comes, Dr. O., vindication of priority by, 197.
- Conidia:
  - In Autobasidiomycetes, 99.
  - In Protobasidiomycetes, 99.
  - Of *Monilia*, 127.
  - Of *Phytophthora phaseoli*, 221.
- Contributions to the development of the Pyrenomycetes, 53, 113, 181.
- Copper acetate for downy mildew, 216.
- Copper carbonate:
  - For powdery mildew of bean, 214.
  - Prepared from copper sulphate, 211, 214.
- Copper mixtures for apple scab, 211.
- Copper, salts of for diseases of potato, tomato, and melon, 227.
- Copper sulphate:
  - For potato rot, 178.
  - For smut, 43, 89, 166, 218.
  - Injures seeds of cereals, 43, 218.
  - Simple solution of, 206.
- Copper, value of, in Bordeaux mixture, 209.
- *Coprini*, attractions of, for insects, 169.
- Corn-smut, vitality of spores, 166.
- Cowberry, gonidial stage of sclerotium on, 39.
- Cracking of apples and pears, 33.
- Cracking of peaches, 33.
- Cranberry, American, disease of, 41.
  - Small, disease of, 41.
- Crawford, Frazier S., specimens of flax rust from, 215.
- Cucumber ruined by Peronospora, 201.
- *Cucurbitaria platani:*
  - Development of ascopores, 182.
  - Development of pycnidia, 182.
  - Inoculations with, 183.
  - Perithecia of, 181.
  - Probably saprophytic, 183, 184.
- Culture media for *Entomophthoræ*, 170.
- Cultures:
  - Difficulty of making, 54.
  - Of *Cytispora*, 113.
- Cyclamen leaves, gummosis in., 225.
- *Cystopus* in mustard and radish, 203.
  - Influence of drought upon, 10.
  - On *Ipomœa pandurata*, oospores of, 203.
- *Cytispora platani:*
  - Description of external appearance, 113.
  - Method of cultivating, 113, 123.
  - Perithecia of, 115.
  - Pycnidia of, 114.
  - Structure of, 114.
- Delaware, peach rot in, 123, 125, 128.
- Dietel, Dr. Paul, on rusts whose teleutospores germinate at once after ripening, 217.
- Discoveries as to the nature and action of the *Ustilagineæ*, 87.
- *Discula platani:*
  - Arrangement similar to, 121.
  - Development of pustules, 57, 58.
  - Germination of spores, 57.
  - Perhaps identical with *Gloeosporium nervisequum*, 58.
  - Pycnidia of, 57.
  - Structure of pustules, 56.
- Diseases:
  - Of cultivated plants, causes favoring the increase of, 107.
  - Of trees, 174.
- Dispersion of spores of fungi by agency of insects 168.
- Downy mildews in a dry season, 11.
- Downy mildew:
  - Advance in treatment of, 107.

Downy mildew—Continued.
  On grape, 7.
  Verdigris for, 216.
Dressing seed grain for smut, 42, 89, 164, 166, 218.
Dry rot of timber, 175.
Eau celeste:
  For apple-scab, 210, 212.
  For melon disease, 227.
  Formula for, 206.
  For potato and tomato rot, 227.
  How prepared, 211.
  Injury to fruit from, 211.
  Strength of, for apple-scab, 211.
  Unmodified formula, 227.
Economic Peronosporeæ in New Jersey, 201.
Edible fungi, 59, 221.
Entomogenous fungi, 169.
Entomophthoreæ culture, media for, 170, 171.
Ergot:
  Effect on stock, 30.
  In Michigan in 1889, 203.
Erysipheæ:
  In Montana not affected by drought, 188.
  Intermediate forms between species, 188.
  Upon Phytoptus distortions, 209.
  Wide variation in characteristics of species, 188.
Erysiphe cichoracearum:
  Effects on hosts, 191.
  Forms of, in Montana, 191.
Eureka sprayer, 38.
Experiments:
  In preventing potato rot, 159.
  In treatment of apple-scab, 35, 210.
    bitter rot of apples, 37.
    black rot of grapes, 219.
    gooseberry mildew, 33.
    plum leaf blight, 38.
    tomato disease, 38.
    smut, 218.
Experiment stations, work in connection with, 101.
Exsiccati:
  Briosi and Cavara, 46, 160.
  Kansas fungi, 94, 161.
  Sydow's, 161.
Farlow, W. G., notes on fungi, 167.
Fenestella, 116, 121.
  Characters of, 116.
  Life-history of, 53, 120.
  New form produced from ascospores, 121.
Fenestella platani:
  Development of ascospores, 117.
  Life-history of, 122.
  Parasitic and saprophytic cycles of development, 123.
Ferment secreted by *Botrytis,* 47.
Ferments in sorghum, 194, 197.
Flax:
  Melampsora lini on, 32.
  Rust of, in Australia, 215.
Forage plants of Montana, 30.
France, vine disease in, 108.
Fulton, T. W., Dispersion of fungous spores by insects, 168.
Fungi:
  Classified by Brefeld, 98.
Fungi—Continued.
  Classified by De Bary, 101.
  Entomogenous, 169.
  In New Zealand, 200.
  List of, for Colorado, 85.
  New species of, 11, 24, 65, 68, 78, 141, 142, 145.
  Of Montana, 30.
  Of Montana, preliminary list of, 188.
Fusarium an enemy to smut, 219.
Fusicladium dendriticum. (*See* Apple-scab.)
Galls, fungi on, 73, 134, 177.
Germ pores, 167.
Germination of *Ustilago bouteloua,* 13.
Giard, Alfred, Entomogenous fungi by, 169.
Glœosporium nervisequum, 51.
  Cycle of development, 53.
  Effects on leaves, 52.
  Hosts of, 54.
  On oak, 54.
Goff, Prof. E. S., results of experiments by, 33, 210.
Gonidia:
  Of *Ascomycetes,* 53.
  Of *Sclerotium vaccini,* 39.
  On *Prunus padus,* 41.
Gooseberry mildew and apple-scab, experiments in treatment of, 33.
Grape:
  Bitter-rot of, 223.
  Black-rot of, 45, 92, 204, 219, 223.
  Downy mildew of, 7, 161, 216.
  Leaf, blight of, 93.
  Leaves, *Septosporium* on, 69.
  Mildew, treatment of, made obligatory, 95.
  Mysterious disease of, 107, 108.
  Powdery mildew of. (*See Oidium Tuckeri.*)
  Vine, root mold of, 107.
  White rot of, 45, 161.
Grass, rust of, 161.
Grasses, Western, injured by smuts, 13.
Gummosis, cause of. 225, 226.
Hackberry, *Sphaerotheca phytoptophila* on galls of, 85, 134, 177.
Hartig, Dr.:
  Lehrbuch der Baumkrankheiten, 174.
  Translations from, 164.
Hatch, A. L., Experiment with apple-scab by, 210.
Helena, Montana, notes on fungi of, 80.
Heterœcism of *Uredineæ,* 104, 167.
Holladay, A. L., experiment in vineyard of, 205.
Hot water for disinfecting seed grain, 42, 164, 218.
Hyacinth:
  Bulbs, white rot of, 226.
  Disease, 176, 225.
  Gummosis of, 225.
Hymenium:
  Of *Sclerotium vaccini,* 40.
  Of *Mucronoporus,* 28, 90.
Hymenomycetes:
  A method of preserving spores of, 163.
  New species of, 24.
Hyphæ, anastomosing of, 47.
Hyphomycetous fungi, new species of, 68.
Hypoxylon and *Nummularia,* synopsis of North American species of, 19.
Indian Corn. (*See Zea Mays.*)

Infection:
  Artificial, 105.
  Of Anemones with *Peziza tuberosa*, 225.
  Of cowberry with sclerotium disease, 40.
  Of sorghum, 43, 196.
  With black-rot prevented, 205.
  With *Cucurbitaria platani*, 183, 184.
  With *Cytispora*, 120.
  With *Discula platani*, 57.
  With *Glœosporium nervisequum*, 57.
  With smut spores, 42, 88, 104.
  With spores of peach rot, 125.
  With white-rot, 45.
Insecticides combined with fungicides, 214.
Insects:
  Combating by fungi, 169, 174.
  Dispersion of fungous spores by, 168.
Iowa, *Peronosporeœ* in, 7.
Iron compounds for disinfecting seed oats, 218.
Isaria on locust eggs, 172.
Italy, sorghum disease in, 195.
Ivy attacked by *Peronospora viticola*, 202.
Ixia bulbs, gummosis in, 225.
Jensen, J. L.:
  Method of preventing smut, 164.
  On the propagation and prevention of smut in oats and barley, 42.
Journal of Mycology, purpose of, 5.
Kansas fungi, new species of, 11, 142.
Kellerman & Swingle:
  On branch knot of hackberry, 177.
  On preliminary report on smut in oats, 218.
  On preliminary report on sorghum blight, 43.
Kelsey, F. D., on study of Montana *Erysipheæ*, 219.
Kew herbarium, types in, 215, 184.
Lagerheim, G., on some new and noteworthy *Uredineæ*, 102.
L'Ecluse, A. de, treatment of black-rot by, 219.
Lewis combination force pump, 37.
Light, influence of, on mycelial growths, 101.
Lily disease, 46.
Lima beans, a new *Phytophthora* on, 221.
Lime used for smut, 89.
Lists of Montana fungi, 80, 188.
Literature, recent, reviews of, 39, 98, 165, 216.
Little Gem force pump, 35.
Liver of sulphur for peach rot, 133.
Lycoperdon gemmatum, possible cause of root rot, 200.
Lye, concentrated, for disinfecting seed oats, 218.
Macrosporium an enemy to smut, 219.
Macrosporium parasiticum:
  Life history of, 102.
  Observations on, 178.
Massee, George, on the presence of sexual organs in *Æcidium*, 44.
McCallan, Mr. C. N., treatment of grape mildew by, 214.
Melons treated by salts of copper, 227.
Meteorological conditions correlated with presence of Leptouredineæ, 218.
Michigan:
  Ergot in, 203.
  Peach rot in, 123.
  Work with experiment station of, 210.
Mildew of:
  Gooseberries, 33.
  Grape, 7, 45.
  Grapes, treatment of, made obligatory, 95.
  Phytoptus galls, 86, 134, 177, 209.
  Shepherd's purse and pepper grass, 10.
  Tomato and grape, 161.
Miyabe, Kingo, on life history of *Macrosporium parasiticum*, 102.
Monilia:
  Manner of infection, 128.
  On twigs, 130.
  Peach disease resulting from, 123.
Monograph of British *Uredineae*, 103.
Montana:
  A preliminary list of the fungi of, 188.
  Collectors needed in, 194.
  Erysipheæ, 219.
  Forage plants in, 30.
  Fungi for exchange, 188.
  Notes on fungi in, 30, 80, 82.
Mucronoporus:
  A new, 141.
  Characters of the genus, 28.
Muscardine parasites, 171, 172, 173, 174.
Mushrooms, edible, how to identify, 59.
Mustard, wild, *Cystopus* on, 203.
Mycelium of *Ustilagineœ*, 87.
Mycological notes, 184.
Mycology, growth in study of, 5.
Natural enemies of smut, 219.
Necessity for a redescription of the type species in the Kew herbarium, 215.
Nematodes, how introduced into potatoes, 178.
New species of Hymenomycetous fungi, 24.
New Jersey, *Peronosporeœ* in, in 1889, 201.
New York, new or rare fungi from, 78.
New York State Museum, bulletin of, 220.
New Zealand, root fungus in, 199.
North American:
  Agarics, 58, 135.
  Fungi, Ellis & Everhart's, 11.
  New and rare species, 145.
Notes:
  By B. T. Galloway, 37, 92, 164, 214.
  Mycological, 184.
  On fungi, 78, 80, 82, 167.
Nozzles:
  Climax, 35.
  Modification of Vermorel, 96.
Nummularia and *Hypoxylon*, synopsis of North American species of, 19.
Nutritive media for:
  Fenestella platani, 117.
  Peziza tuberosa, 225.
  Sclerotinia vaccinii, 39, 40.
  For spores of *Cucurbitaria*, 182.
Oats:
  Experiment to infect while in bloom, 218.
  Manner of infection by smut spores, 42, 218.
  Preliminary report on smut in, 218.
  Propagation and prevention of smut in, 42, 164.
  Smut of, 165.
Ohio Experiment Station, experiment in potato rot at, 159.

Oidium, 223.
  In New Zealand, 200.
Oidium Tuokerii identical with *Uncinula spiralis*, 46.
Onion disease, 102, 178.
Oogonium of *Uromyces poæ*, 44.
Oospores of *Cystopus*, 167.
Paper for spore collection, 163.
Paraphyses of *Sclerotinia vaccinii*, 40.
Peach blight, 123, 130, 131.
  Cause of, 130.
  Connection with rot, 131.
  Varieties most subject to, 131.
Peaches:
  Cracking of, 33.
  Infected by *Monilia* spores, 125.
  Rot induced in, 131.
  Rot of, 33.
  Shipments in 1888, 126.
  Spotting of, 32. (*See Cladosporium carpophilum*.)
Peach-rot:
  Conditions necessary for, 132.
  Destructiveness of, 123.
  How carried over winter, 129.
  How communicated, 128.
  In Chesapeake peninsula in 1888, 125, 126.
  Induced by cracking of fruit, 33.
  Influence of rain-fall on, 128, 129.
  In market, 124.
  Losses from, 33, 126, 127.
  More destructive to early varieties, 124.
  On twigs, 130.
  Other fruits subject to it, 131.
  Prevented by destroying diseased fruit, 132.
  Treatment for, 132, 133.
  Varieties most subject to, 124.
Pear blight, 176.
Pears, cracking of, 33.
Peas, attacked by powdery mildew, 214.
Peck:
  On Boleti of the United States, 220.
  Reports of, 78.
Perithecia:
  Of Ascomycetes, 53.
  Of Black-rot, 45.
  Of *Cucurbitaria platani*, 181, 183.
  Of *Cytispora platani*, 115.
  Of *Macrosporium parasiticum*, 102.
  Of *Sphærotheca phytoptophila*, 86.
  Wrong use of term, 223.
Peronospora. (*See* Downy mildew.)
  On Boston Ivy, 202.
  On succulent hosts, 10.
  On cucumber, 168, 201.
  On squash, 201.
  On violet, 202.
Peronosporeæ:
  In Iowa in 1887 and 1888, 6.
  In New Jersey in 1889, 201.
  Prevalence of, in wet and dry seasons, 6.
Peziza tuberosa:
  Germination of ascospores of, 224.
  Mycelium of, 224.
  On Anemone, symptoms of, 224.
Peziza tuberosa—Continued.
  Relation to *P. bulborum*, 225.
  Sclerotia of, 224.
Phalloidei:
  Attractions of, for insects, 169.
  Dispersion of spores, 168.
Phytophthora, a new American, 221.
Phytophthora infestans. (*See* Potato rot.)
Phytoptus galls:
  Favorable to development of fungi, 85, 134.
  Sphærotheca on, 85, 134, 177, 209.
Platanus. (*See* Sycamore.)
Pleospora herbarum, forms of, 102.
Plowright, C. B., on British *Uredineæ* and *Ustilagineæ*, 103.
Plum:
  Black knot, not in Europe, 176.
  Leaf-blight, treatment for, 38.
  Monilia laxa on, 222.
  Podosphæra tridactyla on, 223.
  Rot induced in, 131.
Pores, spiny, in *Mucronoporus* 28, 90.
Potassium permanganate used for smut, 89.
Potassium sulphide:
  For apple scab, 35, 36, 37, 210, 212.
  For bitter-rot of apple, 37.
  For gooseberry mildew, 33.
  Strength of, 210.
Potato:
  Diseases of, 178.
  Nematodes in, 178.
Potato-rot, 7, 178:
  An experiment in preventing, 158.
  In New Jersey in 1889, 202.
  Treated with copper salts, 227.
  Varieties subject to, 202.
Potato-scab diminished, 160.
Powdery mildew:
  On peas and beans, 214.
  Sulphur for, 214.
  In New Zealand, 200.
Preliminary report on smut in oats, 218.
Prevalence of ergot in 1889, 203.
Prillieux, M., on a disease of apple and chestnut leaves, 106.
Promycelia of *Ustilago bouteloucæ*, 13.
Propagation and prevention of smut in oats and barley, 42.
Prunes:
  Monilia laxa on, 222.
  Podosphæra tridactyla on, 222.
Puccinia:
  Heterœcismal, 167.
  Identity of different species, 217.
Pumps:
  Lewis combination force, 37.
  Little Gem force, 35.
Pycnidia:
  Doubtful in *Macrosporium parasiticum*, 102.
  In Protobasidiomycetes, 99.
  Of Ascomycetes, 53.
  Of black-rot changed into perithecia, 45.
  Of *Cucurbitaria platani*, 181.
  Of *Cytispora platani*, 114, 119.
  Of *Discula platani*, 57.

Pycnidia—Continued.
  Of *Phoma abietina*, 164.
  Produced from cultures of *Fenestella*, 119.
  Produced on *Platanus* from Fenestella spores, 121, 122.
Pyrenomycetes, contributions to the development of, 53, 113, 181.
Radish, cultivated, *Cystopus* in, 203.
Rain-fall:
  And *Peronosporeæ*, 6.
  Erysipheæ not affected by, 188.
  Influence on peach-rot, 128, 129.
  In Iowa in 1887 and 1888, 6.
Rainy weather:
  Effect on spotting of peaches, 33.
  Effect on cracking of fruit, 33.
Reviews of recent literature, 39, 98, 165, 216.
Rhizomania in Ribes, 226.
Root-mold of the vine, 90, 107.
Root-rot:
  Effects on apple-trees, 200.
  In New Zealand, 200.
Roots, abnormal growths of, 226.
Rose, leaf-blight of, 161.
Rot of peaches. (*See* Peach-rot.)
Rot of timber, 175.
Rust of:
  Ash leaves, 95.
  Clover, 161.
  Flax, 32, 215.
  Grass, 161.
  Plum trees, 38.
Rusts whose teleutospores germinate at once after ripening, 217.
Rye not injured by *Claviceps*, 30.
Saccardo's Sylloge:
  Aim of, 24.
  Scleroderma in, 23.
Saprophytic fungi on apricot, 222.
Scab:
  Of apples, treatment of, 33, 35, 210.
  On potatoes, diminished, 160.
Scabby apples, comparative size of, 213.
Scald of peaches, 124.
Schultze's solution used for staining, 14, 17.
Sclerotia:
  Of Ergot, 204.
  Of *Peziza tuberosa*, 224.
  On *Alnus and Betula*, 41.
  On *Prunus padus*, 41.
Scribner, F. L., on Diseases of Irish potatoes, 178.
Sedges, diseased spikes of, 30.
Septosporium on grape leaves, 69.
Sexual organs in *Æcidium*, 44.
Shepherd's purse, mildew on, 10.
Shipley, A. E., on *Macrosporium parasiticum*, 178.
Shot hole fungus, 200.
Smut:
  Avoided by rapid germination, 90.
  Beetles, 219.
  Directions for treatment with hot water, 165.
  Fungi, previous knowledge of, 87.
  Infecting oats with, while in bloom, 218.
  In oats, preliminary report on, 218.
  Losses consequent upon, 166.
Smut—Continued.
  Natural enemies of, 219.
  Of wheat and oats, 165.
  Of *Zea mays*, 14.
  Prevention of, 164.
  Prevention and propagation of, in oats and barley, 42.
  Spores in manure, 218.
  Spores in soil, 218.
  Stinking, 165, 219.
  Treatment for, 89.
  Varieties of, 42.
Smuts, injury to Western grasses and sedges, 13, 30, 31.
Soda:
  For peach-rot, 133.
  Used for smut, 89.
Soda hyposulphite, for apple-scab, 35, 36, 37, 210, 212.
  Strength of, 210.
Soil:
  In vineyards, necessity for keeping clean, 110.
  Necessity for cleanliness of, 166.
  Treatment for oat smut, 218.
Sorghum blight:
  Bacteria in, 43, 196.
  External appearance of, 43.
  Fermentation in, 195.
  Prevention of, 43.
  Question of priority concerning, 195, 199.
  Red color in, 195, 199.
  Roots diseased in, 43.
Spermatia, function of, 104.
Spermogonia:
  Of black-rot changed into perithecia, 45.
  Of *Uredineæ*, 104.
Sphærotheca:
  Favorable conditions for, 86.
  On Phytoptus galls, 85, 134, 177, 209.
Spiny pores, characterize genus *Mucronoporus*, 28.
Spore powder, amount required for a given area, 170.
Spores:
  Cladosporium viticolum, germination of, 94.
  Cytispora platani, 114.
  Discula platani, 56, 57.
  Fungi, dispersion of, 168.
  Hymenomycetes, a method of preserving 163.
  Peach-rot, 127.
  Single, cultures from, 28.
  Ustilagineæ, germination of, 88.
  Ustilago, dessemination of, 84.
Sporopycnidia, 183.
Spotting of peaches. (*See Cladosporium carpophilum.*)
Spraying. (*See* Applications.)
Squash, *Peronospora* on, 201.
Starch, how affected by Gummosis, 226.
Status of the Sorghum Blight, 195.
Stinking smut, 165.
Sulfosteatite for potato and tomato rot, 227.
Sulphate of copper. (*See* Copper sulphate).
Sulphate of iron. (*See* Iron sulphate).
Sulphur:
  And lime for powdery mildew, 214.
  Compounds for peach-rot, 133.

- Sulphur—Continued.
  - Compounds for disinfecting seed oats, 218.
  - Dry, for peach-rot, 133, 134.
  - For hackberry branch-knot, 177.
  - Powder for apple scab, 210, 211, 213.
- Sulphuret of potassium for bitter-rot of the apple, 36, 37.
- Sulphuric acid as a disinfectant for seed oats, 42, 218.
- Swingle, W. T., experiments by, 43.
- Switzerland:
  - Law concerning grape mildew in, 95.
  - Vine disease in, 108.
- Sycamore:
  - *Cucurbitaria platani* on, 181.
  - *Cytispora* on, 113.
  - *Discula platani* on bark of, 56.
  - Disease, 51. (*See Glœosporium nervisequum*).
  - *Fenestella platani* on, 113.
  - *Glœosporium nervisequum* on, 51, 54.
  - Use of wood, 51.
- Taft, Prof. L. R., experiment with apple-scab by, 210.
- Talc, used in sulfosteatite, 227.
- Teleutospores;
  - Of *Phragmidium subcorticium*, 32.
  - Of *Puccinia*, 167.
  - Of *Uromyces Holwai*, 103.
- Thaxter, Roland, on a new American *Phytophthora*, 221.
- Thümen, Felix von:
  - On apricot fungi, 222.
  - On combating fungi of cultivated plants, 107.
- Timber, dry rot of, 175.
- Tomato:
  - Downy mildew of, 161.
  - Treated by salts of copper, 227.
- Tomato disease, 38.
- Treatment of:
  - A disease of potatoes, tomatoes, and melons, 227.
  - American cranberry disease, 41.
  - Apple scab, 35, 212.
  - A tomato disease, 38.
  - Bitter-rot of the apple, 37.
  - Black-rot of grapes, 204, 219.
  - Gooseberry mildew and apple scab, 33.
  - Gooseberry mildew, results of, 34.
  - Grape mildew made obligatory, 95.
  - Hackberry branch knot, 177.
  - Peach-rot, 132, 133.
  - *Peronospora* on violet, 203.
  - Plum leaf blight, 38.
  - Powdery mildew, 216.
  - Root fungus in New Zealand, 200.
  - Should be early, 38.
  - Smut fungi, 89.
  - Smut in oats and barley, 43, 164, 218.
- Trees, diseases of, 174.
- Tumors caused by abnormal root formation, 226.
- Tulip, gummosis in, 226.
- Type species, necessity for a re-description of, in Kew herbarium, 215.
- Underwood and Cook, synopses by, 179.
- *Uredineæ* and *Ustilagineæ*, British, a monograph of, 103.
- *Uredineæ:*
  - Some new and important, 102,
  - Sydow's, 161.
- *Uromyces*, an interesting, 11.
- *Ustilagineæ.* (*See* Smut.)
  - Germination of spores, 88.
  - Mode of entering host plant, 88.
  - Mycelium of, 88.
  - Recent discoveries as to the nature and action of, 87.
- *Ustilago*, dissemination of spores, 84.
- *Ustilago zeæ-mays:*
  - A study of the abnormal structures induced by, 14.
  - Development of spores, 18.
  - Mycelium, 18.
- Vaccinium berries:
  - Diseases of, 39.
  - Manner of infection, 40.
- Verdigris, 216.
- Vermorel nozzle, modification of, 96.
- Viala and Ravaz on experiments on vine diseases, 45.
- Viala, Pierre, A Viticultural mission in America, 223.
- Vine diseases, experimental investigations of, 45.
- Vines:
  - Diseases of, 223.
  - Removal of, when dead, 110.
- Vineyard, subsoil of, 109.
- Violet, mildew of, 202.
- Von Tavel, Franz, paper by, 52.
- Ward, H. Marshall, on a Lily disease, 46.
- Wakker, J. H., contributions to vegetable pathology, 224.
- Water, hot, for treatment of smut, 43, 164, 218.
- Western fungi, new, 65.
- Wheat:
  - Smut, 165.
  - Smut spores in, 218.
- White fir, a disease of, 164.
- White rot, 45, 223.
- Willows injured in Montana by *Melampsora salicis*, 32.
- Wisconsin, work with experiment station of, 210.
- Witch brooms suggested by abnormal root growths, 226.
- Wood in vineyards, 110.
- Woronin, Dr. M., on the Sclerotium disease of Vaccinium berries, 39.
- Woronin's hyphæ, 105.
- Zacharewicz, Ed., on treatment of the disease of potatoes, tomatoes, and melons, 227.
- *Zea Mays:*
  - Abnormal structure of stem caused by *Ustilago*, 16, 18.
  - Fibrovascular bundles in, 15, 17.
  - Stomata of, 15, 16.
  - Structure of healthy stem, 14.
- Zoospores of *Phytophthora phaseoli*, 222.

INDEX TO FUNGI.

[NOTE.—Fungi described in the text are in small capitals, synonyms in italics.]

Acanthomyces, 174.
Acrosporium cerasi, 41.
Acrostalagmus, 118, 122, 123.
Acrostalagmus cinnabarinus, 118.
Actinonema rosæ, 81.
Æcidium, 84.
Æcidium abundans, 80.
Æcidium æsculi, 94.
Æcidium aquilegiæ, 162.
Æcidium artemisiæ, 85.
Æcidium berberidis, 80, 167.
Æcidium callirrhoës, 161.
Æcidium chrysopsidis, 80.
Æcidium clematidis, 80.
Æcidium cleomis, 82.
Æcidium compositarum, 31, 82, 85.
Æcidium cressæ, 162.
ÆCIDIUM DALEÆ, 13.
Æcidium dicentræ, 94.
Æcidium elatinum, 176.
Æcidium euphorbiæ, 85.
Æcidium fraxini, 95.
Æcidium gaurinum, 80.
Æcidium glaucis, 80.
Æcidium grossulariæ, 80, 161.
Æcidium hemisphæricum, 80, 83.
Æcidium hepaticarum, 167.
Æcidium intermixtum, 80.
Æcidium ipomœæ-panduranæ, 168.
Æcidium lepidii, 82.
Æcidium mespili, 162.
Æcidium mirabilissima, 85.
Æcidium monoicum, 82, 85.
Æcidium pedicularis, 162.
Æcidium pentstemonis, 161.
Æcidium plantaginis, 80.
Æcidium porosum, 80.
Æcidium pustulatum, 161.
Æcidium pyrolatum, 80.
Æcidium ranunculacearum, 80.
Æcidium repentis, 85.
Æcidium tanaceti, 85.
Æcidium thalactri-flava, 80.
Æcidium tuberculatum, 161.
Æcidium urticæ, 80, 82.
Agaricini, 58, 101.
Agaricus adiposus, 79.
Agaricus lividus, 139.
Agaricus maritimoides, 25.
Agaricus melleus, 111, 175.
Agaricus microsporus, 27.
AGARICUS OLIVÆSPORUS, 27.
Agaricus stellatosporus, 26.
Agaricus umbonionotus, 25.
Amerosporium, 153.
Amerosporium œconomicum, 71.
Amerosporium polynematoides, 143.
AMEROSPORIUM SUBCLAUSUM, 143.
Anthostoma hypophlæum, 22.
Anthostoma microplacum, 21.
Ascochyta, 152.
ASCOCHYTA ALISMATIS, 148.
Ascochyta colorata, 81.
ASCOCHYTA CORNICOLA, 148.
ASCOCHYTA ? INFUSCANS, 148.
ASCOCHYTA SILENES, 148.
ASCOCHYTA SISYMBRII, 142.
ASCOCHYTA THASPII, 148.
Ascomycetes, 53, 99, 101, 102.
Asterina, 152.
ASTERINULA, 152.
ASTERINULA LANGLOISII, 152.
ASTEROMA RIBICOLUM, 81, 148.
Auriculariæ, 98, 101.
Autobasidiomycetes, 99, 101.
Bacillus sorghi, 43, 198.
Bacteria, 43, 197.
Bacterium termo, 196, 198, 199.
Badhamia, 186.
BADHAMIA NODULOSA, 186.
Basidiomycetes, 98, 99, 101.
Boleti, 220, 221.
Boletinus, 220.
Boletus, 221.
Boletus æstivalis, 221.
Boletus badius, 221.
Boletus bovinus, 221.
Boletus castaneus, 221.
Boletus chrysenteron, 221.
Boletus Clintonianus, 221.
Boletus Collinitus, 221.
Boletus dictyocephalus, 220.
Boletus edulis, 221.
Boletus elegans, 221.
Boletus flexuosipes, 220.
Boletus granulatus, 221.
Boletus hirtellus, 220.
Boletus impolitus, 221.
Boletus leprosus, 220.
Boletus luteus, 221.
Boletus miniato-olivaceus, 221.
Boletus miniato-olivaceus, var. sensibilis, 221.
Boletus rimosellus, 220.
Boletus rubinellus, 221.
Boletus scaber, 221.
Boletus subtomentosus, 221.
Boletus subvelutipes, 220.
Boletus versipellis, 221.

Botrytis, 46, 174.
Botrytis Bassiana, 171, 172.
Botrytis bassii, 55.
BOTRYTIS CINEREO-GLAUCA, 143.
BOTRYTIS HYPOPHYLLA, 143.
Botrytis lupini, 82.
Bovista, 23, 24.
Bovista nigrescens, 23, 24.
Bovista pila, 23, 24.
Bovista plumbea, 24.
Bovista tabacina, 23.
Brachypuccinia, 105.
Brachyuromyces. 105.
Cæoma empetri, 162.
Cæoma laricis, 162.
Cæoma nitens, 103, 161.
Camarosporium subfenestratum, 78.
Capnodium armeniacæ, 222, 223.
Carpoasci, 101.
Cenangium prunastri, 222.
Ceratophorum uncinatum, 94.
Cercospora, 69, 70, 151.
CERCOSPORA AGERATOIDES, 71, 72.
Cercospora althæina, 161.
CERCOSPORA AQUILEGIÆ, 74.
CERCOSPORA BARTHOLOMEI, 144.
Cercospora clavata, 71, 72.
Cercospora cucurbitæ, 94.
Cercospora desmanthi, 94.
Cercospora diantheræ, 161.
CERCOSPORA DOLICHI, 71.
CERCOSPORA DUPLICATA, 70.
Cercospora effusa, 76.
Cercospora eupatorii, 72.
CERCOSPORA EUPHORBIÆ, 76.
Cercospora ferruginea, 143.
CERCOSPORA FUSCO-VIRENS, 72.
CERCOSPORA GAURÆ, 75.
CERCOSPORA GERANII, 74.
Cercospora ipomϾ, 70.
CERCOSPORA JUGLANDIS, 77, 161.
Cercospora lateritia, 94.
CERCOSPORA LOBELIÆ, 75.
Cercospora ochracea, 76.
CERCOSPORA PERFOLIATA, 71.
Cercospora polytæniæ, 161.
Cercospora rosæcola, 160.
Cercospora seminalis, 94.
CERCOSPORA SIDÆCOLA, 72.
CERCOSPORA SII, 71.
Cercospora sordida, 71.
CERCOSPORA SYMPHORICARPI, 70.
Cercospora toxicodendri, 144.
Cercospora tuberosa, 161.
CERCOSPORA VIRIDULA, 70.
Chætocladiaceæ, 101.
Chætophoma maculosa, 143.
Cheirospora botryospora, 72.
Choanephoreæ, 101.
Chrysomyxa, 105.
Chrysomyxa sedi, 162.
Chytridiaceæ, 101.
Cicinnobolus, 192.
Cicinnobolus cesatii, 81, 177, 191.
Cladosporium, 106, 158, 173.
Cladosporium carpophilum, 32, 33.
Cladosporium fulvum, 38.
Cladosporium graminum, 84.
Cladosporium herbarum, 84, 222.
Cladosporium herbarum var. fasiculare, 106.
Cladosporium parasiticum, 173.
Cladosporium typharum, 84.
Cladosporium viticolum, 93.
Clasterisporium amygdalearum, 222, 223.
CLASTERISPORIUM CÆSPITULOSUM, 70.
Clasterisporium larvatum, 70.
Clavarieæ, 101.
Claviceps purpurea, 30, 81, 83, 84, 203.
Clostridium butyricum, 197, 198.
Coleosporium, 105.
Coleosporium campanulæ, 162.
Coleosporium senecionis, 162, 176.
Coleosporium sonchi-arvensis, 80, 162.
Colletotrichium lindemuthianum, 160.
COMPACTÆ, 59, 60.
Coniosporium apiosporiodes, 78.
Coniosporium aterrimum, 69.
CONIOSPORIUM CORTICALE, 60.
CONIOSPORIUM FAIRMANI, 78.
Coniothyrium, 45.
CONIOTHYRIUM CEPHALANTHI, 149.
Coniothyrium diplodiella, 160.
Coprini, 169.
Coprinus, 101.
Cordyceps, 172, 174.
Cordyceps, militaris, 172.
Cordyceps ophioglossoides, 172.
Coremium, 174.
Corticium, 69, 156.
Corticium cervicolor, 69.
Corticium scutellare, 68.
Coryneum Beijerinckii, 222.
Craterium, 187.
Craterocolla cerasi, 99.
Cribraria straminiformis, 187.
Cronartium asclepiadeum, var. Thesii, 80.
Crucibulum vulgare, 84.
Cryptosphaeria millepunctata, 83.
Cryptosporium Neesii, 78.
CRYPTOSPORIUM NUBILOSUM, 156.
Cucurbitaria, 53.
Cucurbitaria elongata, 183.
Cucurbitaria platani, 181, 184.
Cyathus vernicosus, 84.
Cycloderma, 185.
Cylindrosporium, 151.
CLYINDROSPORIUM CLEMATIDIS, 155.
CYLINDROSPORIUM CLEMATIDIS var. JACKMANII, 155.
Cylindrosporium fraxini, 155.
CYLINDROSPORIUM? OCULATUM, 155.
CYLINDROSPORIUM SACCHARINUM, 155.
CYLINDROSPORIUM TRIOSTEI, 73.
CYLINDROSPORIUM VIRIDIS, 155.
Cystopus, 9, 10, 167, 203.
Cystopus bliti, 10.
Cystopus candidus, 9, 81.
Cystopus convolvulacearum, 167, 168, 203.
Cystopus cubicus, 10, 167.
Cystopus ipomϾ-panduranæ, 203.
Cystopus portulacæ, 10.
Cystopus tragopogonis, 81.

Cytispora, 113, 114, 115, 119, 120, 121, 122, 123, 152.
CYTISPORA ALBICEPS, 142.
Cytispora chrysosperma, 81.
Cytispora cincta, 222.
Cytispora difformis, 156.
Cytispora leucophthalma, 142.
Cytispora leucostoma, 222, 142.
Cytispora persicæ, 142.
Cytispora platani, 113.
Cytispora rubescens, 222.
Cytisporina ailanthi, 78.
Dacryomyces, 99.
Dacryomycetes, 101.
Dædalea quercina, 175.
Daldinia concentrica, 21.
DENDRODOCHIUM NIGRESCENS, 72.
Dendryphium subsessile, 161.
Dermatia populina, 82.
Dermatopthora necatrix, 111.
Diatrype microplaca, 21.
Diatrype rumpens, 22.
DICOCCUM LATHYRMUM, 65.
Didymaria clematidis, 82.
Didymella linderæ, 79.
Didymella ranii, 79.
DIDYMIUM FAIRMANI, 78.
Didymium gyrocephalum, 187.
DIDYMOSPHÆRIA EURYASCA, 67, 83.
Dimerosporium populi, 81.
Diorchidium, 102.
Diorchidium binnatum, 95.
Diorchidium læve, 95, 102, 103.
Diorchidium pallidum, 95, 102.
Diorchidium Tracyi, 95.
Diorchidium verti-septa, 102.
Diorchidium Woodii, 95.
Diplocystis, 185.
Diploderma, 185.
Diplodia amygdali, 222.
Diplodia æsculi, 79.
Diplodia extensa, 79.
Diplodia juglandis, 79.
Diplodia maura, var. Americana, 79.
Diplodia pruni, 222.
Diplodia sambucina, 79.
DIPLODINA RAMULORUM, 152.
DISCELLA PILOSULA, 153.
Discomycetes, 101, 168.
Discula platani, 53, 56, 57, 58, 113, 121.
DISCULA RUNCINATA, 153.
DISCULA XANTHOXYLI, 152.
Dothidea, 81.
Dothidea bigeloviæ, 81.
Entomophthora, 170, 173, 174.
Entomophthora anisopliæ, 173.
Entomophthora calliphoræ, 170.
Entomophthora grylli, 171.
Entomophthora megasperma, 170.
Entomophthoreæ, 101, 171.
Entomosporium maculatum, 82.
Entorrhiza, 105.
Entyloma, 104.
Entyloma compositarum, 81.
Entyloma physalidis, 161.
EPICOCCUM RUBRIPES, 65.
Epochnium virescens, 222.
Erysipheæ, 134, 177, 188, 193, 194, 209, 219.
Erysiphe cichoracearum, 81, 83, 188, 190, 191, 192, 209, 219.
Erysiphe communis, 81, 83 188, 190, 209, 214.
Erysiphe galeopsidis, 190.
Erysiphe graminis, 31, 192, 193.
Erysiphe sepulta, 219.
Eutypa flavo-virescens, 79.
Eutypa velutina, 79.
Eutypella prunastri, 222.
Excipulaceæ, 57.
Exoasci, 101.
Exoascus, 101, 176.
Fenestella, 53, 57, 116, 117, 118, 120, 122, 123.
Fenestella amorphæ, 79.
Fenestella platani, 113, 117, 121, 122, 123.
Fenestella princeps, 116.
Fistulina, 99.
Fistulina hepatica, 175.
Fomes igniarius, 91.
Fomes rimosus, 91, 142.
Fomes tenuis, 92.
FRAGILES, 59.
FURCATÆ, 59, 62.
Fusarium, 219.
Fusarium nervisequum, 54.
Fusicladium, 33.
FUSICLADIUM BREVIPUS, 69.
Fusicladium dendriticum, 35, 210.
Fusicladium effusum, 161.
Gasteromycetes, 99.
Geaster, 185.
Glœosporium acerinum, 154, 156.
Glœosporium aceris, 156.
GLŒOSPORIUM AMPELOPSIDIS, 155.
Glœosporium apocryptum, 94.
GLŒOSPORIUM BRUNNEUM, 154.
GLŒOSPORIUM CANADENSE, 153.
Glœosporium castagnei, 154.
Glœosporium decipiens, 94.
Glœosporium fructigenum, 37.
GLŒOSPORIUM GRAMINICOLUM, 154.
Glœosporium hesperidearum, 154.
GLŒOSPORIUM HYSTERIOIDES, 154.
Glœosporium læticolor, 222.
GLŒOSPORIUM LAGENARIUM var. MUSARUM, 155.
Glœosporium nervisequum, 51, 52, 53, 54, 55, 56, 57, 58, 161.
Glœosporium platani, 54.
Glœosporium populi, 154.
GLŒOSPORIUM RAMOSUM, 154.
GLŒOSPORIUM REVOLUTUM, 153.
Glœosporium sphærelloides, 154.
Glœosporium umbrinellum, 154.
Gonytrichum fulvum, 69.
Graphiola, 105.
Gymnosporangium clavariæforme, 162, 176.
Gymnosporangium conicum, 176.
Gymnosporangium Sabinæ, 176.
Gymnosporangium tremelloides, 176.
HAINESIA BOREALIS, 156.
HAPLOSPORELLA AILANTHI, 147.
HAPLOSPORELLA EUONYMI, 147.
Haplosporella nerii, 79.
Haplosporella valsoidea, 147.
Hemiarcyria, 187.

HENDERSONIA CONCENTRICA, 149.
Hendersonia Davisii, 149.
HENDERSONIA HETEROPHRAGMIA, 149.
HETEROPHYLLÆ. 59, 64.
Heterosporium cleomis, 82.
HETEROSPORIUM FUNGICOLUM, 70.
HETEROSPORIUM HYBRIDUM, 70.
Hormiscium sacchari, 196.
Hydneæ, 101.
Hydnum diversidens, 175.
Hydnum imbricatum, 26.
Hymenochæte, 28, 92.
Hymenogastreæ, 101
Hymenomycetes, 99, 163, 175.
Hymenula armeniacæ, 222.
Hymenula platani, 54.
Hyphomycetes, 118, 168.
Hypocrea Richardsoni, 81.
Hypoxylon, 19.
Hypoxylon glycyrrhiza, 21.
Hypoxylon nummularia, 20.
Hypoxylon obularium, 21.
Hypoxylon Petersii, 21.
Hypoxylon punctulatum, 22.
Hysterium fraxini, 79.
Inocybe, 25.
INOCYBE CICATRICATUS, 25.
INOCYBE ECHINOCARPUS, 26.
INOCYBE MURINO-LILACINUS, 25.
INOCYBE PALLIDIPES, 24.
INOCYBE SUBDECURRENS, 26, 27.
INOCYBE TOMENTOSA, 26, 27.
Isaria, 171, 172, 174.
Isaria destructor, 172, 173, 174.
Isaria farinosa, 172.
Isaria ophioglossoïdes, 172.
Isaria strigosa, 55.
Labrella ? nervisequum, 54.
Lactarius, 58.
Lactarius piperatus, 61.
Lactarius vellereus, 61.
Læstadia, 93.
LANGLOISULA, 68.
LANGLOISULA SPINOSA, 68.
Lanopila ? tabacina, 23.
Leptosphæria artemisiæ, 81.
Leptosphæria culmicola, 66.
Leptosphæria culmifraga, 66.
LEPTOSPHÆRIA SPOROBOLI, 66.
Leptosphæria typharum, 81.
Leptostromaceæ, 152, 168.
Leptothyrium, 73, 152.
Leptouromyces, 217.
Lycoperdiaceæ, 101.
Lycoperdon, 24.
Lycoperdon gemmatum ?, 200.
Lycoperdon lepidophorum, 24.
MACROPHOMA SUBCONICA, 147.
Macrosporium, 67, 158, 219.
MACROSPORIUM BACCATUM, 144.
Macrosporium inquinans, 84.
Macrosporium iridis, 84.
Macrosporium parasiticum, 102, 178.
Macrosporium sarcinula, 102.
Massospora, 170.
Melampsora, 105.
Melampsora cerastii, 80.
Melampsora circææ, 162.
Melampsora epilobii, 80.
Melampsora helioscopiæ, 162.
Melampsora lini, 32, 80, 215.
Melampsora populina, 32, 80.
Melampsora pyrolæ, 162.
Melampsora salicina, 85.
Melampsora salicis, 32.
Melampsora salicis-capreæ, 80.
Melampsora vaccinii, 162.
Melampsorella, 105.
Melanconeæ, 168.
Melanconium fusiforme, 222.
Melanomma Minervæ, 222.
Melanospora parasitica, 172.
Melasmia gleditschiæ, 94.
Merulius lacrymans, 175.
Metarhizium, 173, 174.
Metasphæria leiostega, 79.
Micrococcus, 198.
Microsphæra, 177.
Microsphæra grossulariæ, 194.
Microsphæria quercina, 94.
Microsphæra Ravenellii, 194.
Microsphæra symphoricarpi, 193.
Monilia, 68, 69, 123, 124, 125, 129.
Monilia fructigena, 33, 41, 123, 222.
Monilia laxa, 222.
Monosporium, 68.
Morthiera Thumenii, 79.
Mucorini, 101, 182.
MUCRONOPORUS, 28, 92, 93.
Mucronoporus balansæ, 29.
Mucronoporus cichoriaceus, 29.
Mucronoporus circinatus, 28.
Mucronoporus conchatus, 92.
Mucronoporus crocatus, 29.
Mucronoporus dualis, 28.
MUCRONOPORUS EVERHARTII, 141.
Mucronoporus ferruginosus, 90.
Mucronoporus gilvus, 28.
Mucronoporus igniarius, 91, 142.
Mucronoporus isidioides, 29.
Mucronoporus licnoides, 29.
Mucronoporus nigricans, 92
Mucronoporus obliquus, 91.
Mucronoporus salicinus, 92.
Mucronoporus setiporus, 29.
Mucronoporus spissus, 91.
Mucronoporus spongia, 29.
Mucronoporus tabacinus, 29.
Mucronoporus tomentosus, 28.
Mycenastrum, 23, 24.
Mycenastrum corium, 24.
Mycenastrum Ohiense, 24.
Mycenastrum, Oregonense, 23.
Mycenastrum, spinulosum, 24.
Mycomycetes, 101.
Myxomycetes, 168.
NÆMASPORA MICROSPERMA, 156.
Nectria ditissima, 176.
Nectria ribes, 81.
Nidularieæ, 101.
Nummularia 19.
NUMMULARIA BULLIARDI, 20, 21, 22, 23.

NUMMULARIA DISCRETA, 19, 20.
NUMMULARIA EXCAVATA, 20.
NUMMULARIA EXUTANS, 22.
NUMMULARIA GLYCYRRHIZA, 21.
NUMMULARIA HYPOPHLÆA, 21, 22.
NUMMULARIA MICROPLACA, 21.
NUMMULARIA OBULARIA, 21.
Nummularia pezizoides, 19.
NUMMULARIA REPANDA, 19.
NUMMULARIA RUMPENS, 22, 23.
NUMMULARIA SUBAPICULATA, 23.
NUMMULARIA SUBCONCAVA, 20.
Nyctalis, 99.
Oidium, 220, 224.
Oidium erysiphoides, 82.
Oidium lactis, 55, 99.
OIDIUM PIRINUM, 68.
Oidium Tuckeri, 46.
Oligoporus, 99.
Oomycetes, 101, 168.
OVULARIA CARLETONI, 144.
OVULARIA COMPACTA, 68.
Penicillium, 173.
Penicillium glaucum, 158, 173.
Peniophora occidentalis, 83.
Peridermium pini, 176.
Peronospora, 10, 86, 107, 168, 201, 202.
Peronospora alta, 9.
Peronospora androsaces, 161.
Peronospora Arthuri, 8, 94.
Peronospora calotheca, 9.
Peronospora corydalis, 94.
Peronospora Cubensis, 168, 201, 216.
Peronospora effusa, 8.
Peronospora euphorbiæ, 9.
Peronospora gangliformis, 8, 83.
Peronospora geranii, 8.
Peronospora graminicola, 9.
Peronospora Halstedii, 7.
Peronospora leptosperma, 9.
Peronospora lophanthi, 9.
Peronospora myosotidis, 83.
Peronospora obducens, 8.
Peronospora parasitica, 8, 9.
Peronospora polygoni, 9.
Peronospora potentillæ, 8.
Peronospora pygmæa, 8, 83.
Peronospora Schleideniana, 178.
Peronospora sordida, 9.
Peronospora trifoliorum, 9.
Peronospora violæ, 202.
Peronospora viticola, 7, 202.
Peronosporeæ, 9, 10, 11, 69, 101, 188, 201.
PESTALOZZIA AFFINIS, 156.
PESTALOZZIA AQUATICA, 157.
Pestalozzia concentrica, 149.
PESTALOZZIA FLAGELLIFERA, 156.
Pestalozzia maura, 157.
PESTALOZZIA NERVALIS, 157.
Pestalozzia pallida, 143, 156.
PESTALOZZIA UNCINATA, 143.
PESTALOZZIELLA ANDERSONI, 65.
Pestalozziella subsessilis, 65.
Peziza, 48, 130, 224.
Peziza bulborum, 225.
Peziza calycina, 164.
Peziza sclerotiorum, 225.
Peziza tuberosa, 224, 225.
PEZIZA VOGOENSIS, 65.
Pilacreæ, 101.
Pilolobus, 101.
Piptocephalideæ, 101.
Phalloideæ, 101.
Phalloidei, 168, 169.
Phallus impudicus, 168.
Phleospora aceris, 154.
PHLEOSPORA OXYTROPIDIS, 65, 83.
Phlebia merismoides, 84.
Phoma, 106, 145.
Phoma abietina, 164.
Phoma ailanthi, 78.
Phoma armeniacæ, 222.
Phoma asparagi, 147.
Phoma lanceolata, 147.
Phoma mamillariæ, 81.
PHOMA MEDIA, 147.
PHOMA THERMOPSIDIS, 65, 84.
Phragmidium, 105.
Phragmidium fragariæ, 80.
Phragmidium potentillæ, 82.
Phragmidium sanguisorbæ, 162.
Phragmidium speciosum, 94.
Phragmidium subcorticium, 32, 80, 85, 162.
Phycomycetes, 101.
Phyllactinia suffulta, 81, 83, 193.
Phyllosticta, 151.
Phyllosticta althæina, 151.
PHYLLOSTICTA CALAMINTHÆ, 145.
Phyllosticta circumcissa, 222, 223.
Phyllosticta cirsii, 79.
PHYLLOSTICTA COMMONSII, 146.
Phyllosticta cornicola, 148.
PHYLLOSTICTA DESMODII, 146.
PHYLLOSTICTA DEUTZIÆ, 146.
Phyllosticta fraxini, 142, 145.
Phyllosticta fraxinicola, 145.
PHYLLOSTICTA HALSTEDII, 146.
PHYLLOSTICTA HUMULI, var. MAJOR, 145.
PHYLLOSTICTA HYDRANGEÆ, 145.
Phyllosticta ipomϾ, 161.
PHYLLOSTICTA MACLURÆ, 145.
Phyllosticta maculiformis, 106.
Phyllosticta nebulosa, 148.
PHYLLOSTICTA ORONTII, var. ADVENA, 146.
PHYLLOSTICTA PALMETTO, 146.
Phyllosticta phomiformis, 79.
PHYLLOSTICTA PYROLÆ, 145.
PHYLLOSTICTA RHEI, 145.
Phyllosticta syringæ, 146.
PHYLLOSTICTA VARIEGATA, 145.
Phyllosticta vindobonensis, 222.
PHYLLOSTICTA VIRIDIS, 142, 145.
Physalospora, 45.
Physalospora megastoma, 81.
Physarum nodulosum, 186.
Physarum Schumacheri, 187.
PHYSARUM SCYPHOIDES, 186, 187.
Phytophthora cactorum, 221.
Phytophthora infestans, 7, 158, 160, 178, 202, 221, 227.
PHYTOPHTHORA PHASEOLI, 221.
Plasmodiophora, 111.
Plasmopara viticola, 160.

Pleospora herbarum, 83, 102.
Pleospora Islandica, 66.
PLEOSPORA LAXA, 66.
Pleospora permunda, 83.
Pleospora polytricha, 57.
Plowrightia fruticola, 84.
Plowrightia morbosa, 84, 176.
Plowrightia symphoricarpi, 84.
Podosphæra oxyacanthæ, 81, 193.
Podosphæra tridactyla, 222.
Polistophthora, 174.
Polyactis, 46.
Polyporeæ, 90, 101.
Polyporus, 28, 221.
Polyporus annosus, 111.
Polyporus betulinus, 175.
Polyporus borealis, 175.
Polyporus contiguus, 90, 91.
Polyporus dryadeus, 175.
Polyporus floccosus, 91.
Polyporus fomentarius, 175.
Polyporus fulvus, 175.
Polyporus gilvus, 29.
Polyporus igniarius, 92, 175.
Polyporus lævigatus, 175.
Polyporus mollis, 175.
Polyporus perennis, 28.
Polyporus rimosus, 92.
Polyporus salmonicolor, 91.
Polyporus Schweinitzii, 175.
Polyporus spissus, 91.
Polyporus sulphureus, 175.
Polyporus unitus, 90, 91.
Polyporus vaporarius, 175.
Polystictus, 28.
Polystictus balansæ, 28.
Polystictus tomentosus, 28.
Poria ferruginosa, 90.
Protobasidiomycetes, 98, 99, 101.
Protomyces, 101, 105.
Pseudovalsa, 116, 117.
Puccinia, 102, 103, 105, 167.
Puccinia aberrans, 82.
Puccinia alliorum, 67.
Puccinia amorphæ, 78.
Puccinia anemones-virginianæ, 162.
Puccinia asteris, 81, 217.
Puccinia bullata, 162, 105.
Puccinia calthae, 162.
Puccinia caricis, 82, 85.
Puccinia centaureæ, 105.
Puccinia chrysosplenii, 217.
Puccinia cirsii-lanceolati, 162.
Puccinia cladophila, 81, 83.
Puccinia congregata, 217.
Puccinia coronata, 162.
Puccinia crepidis, 162.
Puccinia curtipes, 217.
Puccinia digitata, 217.
Puccinia emaculata, 94.
Puccinia falcariæ, 162.
Puccinia flosculosorum, 81, 83, 105.
Puccinia fusca, 81.
Puccinia galii, 162.
Puccinia galiorum, 83.
Puccinia gerardii, 217.
Puccinia giliæ, 83.
Puccinia graminis, 81, 83, 85, 160, 162.
Puccinia grindeliæ, 81, 217.
Puccinia heucheræ, 217.
Puccinia hieracii, 105, 162.
Puccinia intermixta, 81.
Puccinia lampsanæ, 162.
Puccinia malvastri, 217.
Puccinia menthæ, 81.
Puccinia Mesnièriana, 217.
Puccinia mirabilissima, 81, 85.
PUCCINIA MUTABILIS, 67.
Puccinia nigrescens, 161.
Puccinia oxyriæ, 103.
Puccinia phalaridis, 162.
Puccinia phragmitis, 81.
Puccinia pimpinellæ, 162.
Puccinia poarum, 162.
Puccinia polygoni-amphibii, 81.
Puccinia porri, 67.
Puccinia Printziæ, 217.
Puccinia pruni-spinosa, 38.
Puccinia prunorum, 222.
Puccinia ribis, 103.
Puccinia rubefaciens, 103.
Puccinia rubigo-vera, 31, 83, 162.
Puccinia saxifragæ, 81, 217.
Pucinnia schedonnardi, 94, 161.
Puccinia Schneideri, 103.
Puccinia scillæ, 67.
Puccinia serratulæ, 217.
Puccinia Seymeriæ, 103.
Puccinia Sherardiana. 217.
Puccinia silphii, 103, 161, 217.
Puccinia spreta, 217.
Puccinia striata, 217.
Puccinia suaveolens, 105, 162.
Puccinia subtecta, 217.
Puccinia tanaceti, 31, 32, 81, 85.
Puccinia taraxaci, 105.
Puccinia tiarellæ, 217.
Puccinia torquati, 162.
Puccinia verti-septa, 95, 102.
Puccinia violæ, 81, 162.
Puccinia vomica, 217.
Puccinia xanthii, 94, 217.
Pucciniastrum, 105.
Pyrenomycetes, 53, 54, 101, 168, 171.
Ramularia andromedæ, 69.
RAMULARIA BRUNELLÆ, 69.
RAMULARIA SEROTINA, 69.
Ramularia urticæ, 161.
RAMULARIA VIBURNI, 69.
Ramularia virgaureæ, 94, 69.
Reticularia affinis, 185.
Reticularia apiospora, 186.
Reticularia atro-rufa, 185.
Reticularia phyrrhospora, 186.
Reticularia rubra, 186.
Reticularia venosa, 185.
Reticularia venulosa. 185.
Rhinotrichum Curtisii, 84.
Rhytisma salicinum, 82.
RIGIDÆ, 59.
Rœstelia pirata, 94.
Rosellina quercina, 111.

Russula, 58, 135.
RUSSULA ADUSTA, 601
Russula amygdalina, 140.
RUSSULA CINNAMOMEA, 137.
RUSSULA COMPACTA, 61.
RUSSULA CONSOBRINA, 139.
Russula crustosa, 135, 136.
RUSSULA CYANOXANTHA, 138, 139.
RUSSULA DELICA, 61.
RUSSULA DEPALLENS, 64.
Russula emetica, 136, 139.
Russula expallens, 64.
RUSSULA FLAVIDA, 137.
RUSSULA FŒTENS, 140, 141.
Russula fœtens, var. granulata, 140.
RUSSULA FURCATA, 62, 136, 139.
RUSSULA HETEROPHYLLA, 59, 139.
Russula incarnata, 141.
Russula integra, 59.
RUSSULA LACTEA, 135.
RUSSULA LEPIDA, 136.
RUSSULA MORGANI, 141.
RUSSULA NIGRICANS, 60, 61.
RUSSULA OLIVASCENS, 62.
RUSSULA ROSACEA, 63, 64.
RUSSULA RUBRA, 63, 127, 137, 138.
RUSSULA SANGUINEA, 63.
RUSSULA SARDONIA, 64.
RUSSULA SIMILLIMA, 140.
RUSSULA SORDIDA, 61.
RUSSULA VARIATA, 141.
RUSSULA VESCA, 138.
RUSSULA VIRESCENS, 61, 135.
Saccharomyces ellipsoideus, 196.
Saccharomycetes, 199.
Sacidii, 73.
SACIDIUM ULMI-GALLÆ, 72.
Saprolegniæ, 101.
Schizomycetes, 171.
Scleroderma, 23, 24, 185.
Scleroderma Oregonense, 23.
Sclerotinia baccarum, 39.
Sclerotiniæ, 41, 183.
Sclerotinia megalospora, 39.
Sclerotinia oxycocci, 39.
Sclerotinia sclerotiorum, 47.
Sclerotinia vaccinii, 39.
Scolecotrichum maculicola, 95.
Secotium acuminatum, 24.
Secotium columnaria, 24.
Secotium Thunii, 24.
Secotium Warnei, 24.
Septoria, 151.
Septoria ægopodina,151.
Septoria althaeæ, 151.
SEPTORIA APARINE, 143.
Septoria argophylla, 95.
Septoria asclepiadicola, 150.
SEPTORIA ASTERICOLA, 150.
Septoria atropurpurea, 150.
Septoria brunellæ, 150.
Septoria calystegiæ, 152.
Septoria cirsii, 150.
SEPTORIA COMMONSII, 150.
Septoria convolvuli, 152.
SEPTORIA CRYPTOTÆNIÆ, 151.
SEPTORIA DEARNESSII, 151.
SEPTORIA DIVARICATA, 79, 151.
SEPTORIA FAIRMANI, 151.
Septoria flagellaris, 152.
Septoria galiorum, 143.
SEPTORIA INTERMEDIA, 150.
Septoria lachastreana, 151.
SEPTORIA LATHYRI, 149.
Septoria malvicola, 79.
Septoria phlogis, 151.
SEPTORIA PHYSOSTEGIÆ, 150.
SEPTORIA PRENANTHIS, 150.
Septoria psilostega, 143.
Septoria saniculæ, 151.
Septoria saponariæ, 148.
Septoria sisymbrii, 143.
Septoria speculariæ, 95.
Septoria stellariæ, 79.
Septoria tenella, 161.
Septoria viciæ, 150.
Septosporium Fuckelii, 68.
SEPTOSPORIUM HETEROSPORUM, 67.
Sorosporium, 101.
Sorosporella agrotidis, 169, 170.
Sorosporella uvella, 170, 172.
Sparassis tremelloides, 184.
Sphærella, 79, 148.
SPHÆRELLA AQUILEGIÆ, 66.
Sphærella lathyrina, 150.
Sphærella maculiformis, 106.
Sphærella pachyasca, 66, 81.
Sphærella sabaligena, 146.
Sphærella Wichuriana, 65.
Sphæriaceæ, 172.
Sphæria clypeus, 20, 21.
SPHÆRIA DISCINCOLA, 19.
Sphæria discreta, 19.
Sphæria lactucarum, 83.
Sphæria numularia, 21.
Sphæria repanda, 19.
SPHÆRONEMA CANUM, 147.
Sphæronema pruinosum, 147.
SPHÆRONEMELLA CARNEA, 152.
SPHÆRONEMELLA ROSÆ, 152.
Sphæropsideæ, 168, 152.
SPHÆROPSIS CLADONIÆ, 149.
Sphæropsis parasitans, 149.
SPHÆROPSIS SMILACIS, 149.
Sphæropsis valsoidea, 147.
Sphærotheca, 209.
Sphærotheca Castagnei, 83, 189, 209.
Sphærotheca mors-uvæ, 34, 81, 189, 192, 209.
Sphærotheca phytoptophila, 86, 95, 134, 177.
Sphærotheca pruinosa, 134.
Sporidesmium epicoccoides, 72.
SPORIDESMIUM INSULARE, 72.
SPORIDESMIUM MACROSPOROIDES, 67.
SPORIDESMIUM MACROSPOROIDES var. GUMMOSUM, 67.
Sporidesmium sarcinula, 72.
SPORONEMA PALLIDUM, 153.
Sporotrichum lyococcon, 222.
STELLA, 184.
STELLA AMERICANA, 185.
Stereum, 28.
Stereum hirsutum, 175.

Stilbum, 173, 174.
Stilbum Buqueti, 173.
Stilbum giganteum, 147.
Strobilomyces, 220.
Strobilomyces strobilaceus, 221.
Taphrina, 73, 101, 153.
Tarichium, 170, 171, 173, 174.
Tarichium uvelia, 170, 174.
Telephora Perdix, 175.
Thamnidiae, 101.
Thecopsora, 105.
Thelephoreæ, 101.
Tilletia, 88, 101.
TILLETIA BUCHLŒANA, 11.
Tilletia fœtens, 165.
Tilletia lævis, 165.
Tilletia tritici, 104.
TILMADOCHE GYROCEPHALA, 187.
Tomentelleæ, 101.
Torrubia capitata, 172.
Torrubia ophioglossoïdes, 172.
Trametes pini, 175.
Trametes protracta, 92.
Trametes radiciperda, 111, 175.
TREMELLA TREMELLOIDES, 184.
Tremellineæ, 98, 101.
Triblidium rufulum, 29.
Triblidium rufulum, var. fuscum, 30.
Triblidium rufulum, var. simplex, 30.
Trichia, 187.
Trichoderma lignorum, 84.
TRICHOSPORIUM APIOSPORIUM, 186.
TRICHOSPORIUM CURTISII, 185.
TRICHOSPORIUM PHYRRHOSPORIUM, 185, 186.
Tricothecium roseum, 53, 57.
Triphragmidium binatum, 102.
Tuberaceæ. 101.
Tuberculina, 105.
Tuberculina persicina, 83.
Tuberculina vinosa, 83.
Uncinula, 177.
Uncinula salicis, 81, 133.
Uncinula spiralis, 46.
Uredineæ, 44, 98, 101, 102, 103, 104, 161, 167, 168, 176, 188.
Uredo arcticus, 103.
UREDO KANSENSIS, 77.
Uredo quercus, 95.
Urocystis, 104.
Urocystis colchici, 83.
Uromyces, 11, 105, 217.
Uromyces anthyllidis, 162.
Uromyces caricis, 11.
Uromyces eriogoni, 83.
Uromyces erythronii, 103, 162.
Uromyces ficariæ, 162.
Uromyces geranii, 162.
Uromyces graminicola, 161.
Uromyces hedsaryi-paniculati, 80.
Uromyces Holwai, 103.
Uromyces hyalinus, 161.
Uromyces junci, 83.
Uromyces limonii, 162.
UROMYCES PERIGYNIUS, 11.
Uromyces poæ, 44.
Uromyces polygoni, 161, 162.
Uromyces scillarum, 162.
Uromyces scutellatus, 85.
Uromyces Spraguæ, 80.
Uromyces striatus, 162.
Uromyces terebinthi, 83.
Uromyces trifolii, 80, 160, 162.
Uropyxis amorphæ, 78.
Ustilagineæ, 87, 98, 101, 103, 104, 168.
Ustilago, 101, 104, 195.
USTILAGO ANDROPOGONIS, 12.
USTILAGO BOUTELOUÆ, 13.
Ustilago caricis, 30.
Ustilago cylindrica, 13.
Ustilago Ischæmi, 13.
Ustilago minima, 30.
Ustilago Montaniensis, 31.
Ustilago Reiliana, 195.
Ustilago segetum, 30, 81, 83, 84, 104.
Ustilago zeæ-mays, 14, 95.
Valsa, 116.
Valsa ambiens, 222.
Valsa cincta, 222.
Valsa leucostoma, 222, 83.
Valsa nivea, 81.
Vermicularia, 153.
Vermicularia phlogina, 79.
Verticillium, 174.
Zignoella diaphana, 144.
ZIGNOELLA DIAPHANA, var. GRACILIS, 144.
Zygodesmus muricatus, 79.
Zygodesmus obtusus, 84.
Zygomycetes, 101, 168.

INDEX TO HOSTS.

Abies, 199.
Acacia bark, 186.
Acer dasycarpum, 154.
Acer negundo, 72.
Acer saccharinum, 156.
Acrideæ, 171, 172.
Actinella acaulis, 83.
Æcidium porosum, cups of, 83.
Æsculus arguta, 94, 144.
Agropyrum, 30.
Agropyrum divergens, 83.
Agropyrum glaucum, 192.
Agropyrum violaceum, 83.
Agrostis exarata, 192.
Agrotis, 170.
Agrotis segetum, 170, 171.
Ailanthus glandulosus, 78, 147.
Alisma plantago, 148.
Allium mutabile, 67.
Alnus, 41.
Alocasia esculenta, 147.
Althæa rosea, 151, 561.
Amarantus blitoides, 10.
Ambrosia artemisiæfolia, 7, 10, 94.
Ambrosia psilostachya, 94.
Amelanchier alnifolia, 81, 82, 190.
Amelanchier Canadensis, 19.
Amelanchier maculatum, 190.
Amorpha fruticosa, 78.
Ampelopsis quinquefolia, 155, 202.
Ampelopsis veitchii, 202.
Amygdaleæ, 226.
Androsace occidentalis, 161.
Anemone, 8.
Anemone coronaria, 104, 224.
Anemone multifida, 80, 81, 83.
Anemone nemorosa, 224.
Anemone ranunculoides, 224.
Anemone silvatica, 162.
Andropogon Hallii, 12, 13.
Andropogon muricatum, 68.
Andropogon provincialis, 12, 13.
Anisoplia, 171.
Anisoplia austriaca, 173.
Anthyllis vulneraria, 162.
Apios tuberosa, 161.
Aplippapus integrifolius, 83
Apocynum, leaves of, 65.
Apples, 35, 37, 131.
Apple trees, 79, 106.
Apple trees, roots of, 200.
Apple, Fameuse, 210.
Apple, Northern Spy, 210.
Apricot, 222, 223.
Apricot branches, 222.
Apricot fruit, 222.
Apricot leaves, 222.
Aquilegia Canadensis, leaves of, 74.
Aquilegia Jonesii, 66.
Aquilegia vulgaris, 162.
Arabis, 85.
Archangelica atropurpurea, 151.
Armeria vulgaris, 162.
Artemisia, 85.
Artemisia biennis, 9.
Artemisia cana, 31, 81.
Artemisia discolor, 191.
Artemisia dracunculoides, 31, 191.
Artemisiæ, 191.
Artemisia frigida, 31.
Artemisia Ludoviciana, 9, 31, 81, 191.
Artemisia tridentata, 31, 67.
Asclepias, 65.
Asclepias rubra, 150.
Ash, 95, 152.
Asparagus, 147, 158.
Aster adscendens, 190.
Aster canescens, 190, 191.
Aster comutatus, 81, 83, 190, 191.
Aster conspicuus, 190.
Aster cordifolius, 150.
Aster foliaceus, 191.
Aster lævis, 81, 85, 190.
Aster longifolius, 83, 190.
Aster multiflorus, 190.
Astragalus adsurgens, 194, 209.
Astragalus Canadensis, 9, 190.
Astragalus decumbens, 190.
Astragalus hypoglottis, leaves of, 69, 81, 190.
Astragalus multiflorus, 190.
Astragalus triphyllus, 209.
Athalia berberidis, 171.
Balsamorrhiza sagittata, 81.
Banana, 155.
Bark, 185.
Barley, 42, 164, 218.
Basswood, 79.
Beans, 214.
Beckmania erucæformis, 192.
Beech woods, 64.
Bellis perennis, 104.
Berberis, 85.
Berberis repens, 80, 81, 85.
Berberis vulgaris, 160.
Betula, 41.
Betula alnifolia, 67.
Betula occidentalis, 81, 193.
Bidens, 7.
Bidens chrysanthemoides, 7.
Bidens connata, var. comosa, 7.
Bidens frondosa, 7.
Bigelovia, 81.

Bigelovia Douglasii, 191.
Bigelovia graveolens, 191, 219.
Bigelovia graveolens, var. albicaulis, 81.
Birch, 78, 92.
Blackberries, 131.
Black walnut, 79.
Borraginaceæ, 194.
Bouteloua oligostachya, 13.
Branches, decorticated, 79.
Bromus mollis, 162.
Broom corn, 197.
Brunella vulgaris, 69.
Bryophila raptricula, 173.
Buchlöe dactyloides, 11, 12, 94.
Butterfly, 173.
Cabbage, 199.
Calamintha clinopodium, 145.
Callirrhoë involucrata, 161.
Caltha palustris, 162.
Calystegia sepium, 152.
Campanula patula, 162.
Canada thistle, 79.
Caprifoliaceæ, 194.
Carduaceæ, 172.
Carex, dead leaves of, 65.
Carex Douglasii, 30, 82.
Carex filifolia, 30, 82.
Carex Jamesii, var. Nebraskensis, 82.
Carex intumescens, 11.
Carex marcida, 82.
Carex (Pennsylvanica?), 156.
Carex Pennsylvanica, 82.
Carex stenophylla, 30.
Carex stricta, 11.
Carex utriculata, 82.
Carices, 66.
Carlina vulgaris, 162.
Carya alba, 149.
Carya amara, 94, 161.
Caterpillar of Arctia, 171.
Caterpillar of Agrotis segetum, 170.
Caterpillar of the sugar beet, 170.
Cecidomya destructor, 171.
Cedar stump, 28.
Celtis, 86, 177.
Celtis occidentalis, 85, 95, 134, 177.
Cephalanthus, 149.
Cerastium arvense, 80.
Cercisu, 19.
Chenopodium album, 8.
Cherry, 176.
Chestnut trees, 25, 106.
Chickweed, 79.
Chrysalides, dead, 173.
Chrysopsis villosa, 80, 83, 191, 209.
Circæa lutetiana, 162.
Cirsium arvense, 162.
Cirsium lanceolatum, 162.
Citron, 202.
Cladonia cariosa, 149.
Clematis Dougalsii, 80.
Clematis Jackmanii, 155.
Clematis ligusticifolia, 82, 83, 84.
Clematis Virginiana, 155.
Cleome integrifolia, 70, 82.
Cleonus punctiventris, 172, 174.
Cnicus altissimum, 150.
Cnicus undulatus, 81, 83, 84, 191, 209.
Comandra pallida, 80.
Comandra umbellata, 161.
Compositæ, 7, 167, 169, 191, 194, 217.
Comptonia asplenifolia, 156.
Convolvulaceæ, 167, 168.
Cornaceæ, 194.
Cornus mas, 131.
Cornus sericea, 148.
Cornus stolonifera, 81, 193.
Corydalis aurea, var. occidentalis, 94.
Cowberry, 39.
Cratægus, 79.
Cratægus grandiflora, 162.
Cratægus oxyacantha, 162.
Crepis actorum, 162.
Cressa cretica, 162.
Cruciferæ, 9.
Cucumber, 201.
Cucumis sativa, 216.
Cucurbitaceæ, 155, 201.
Cucurbita perennis, 94.
Cupuliferæ, 194.
Cyclamen leaves, 225.
Cymopteris bipinnatus, 83.
Cyperaceæ, 218.
Dalea laxiflora, 14.
Damsons, 222.
Deciduous trees, wood of, 90.
Degraphis arundinacea, 162.
Desmanthus brachylobus, 94.
Desmodium, 146.
Deutzia (cult.), 146.
Dianthera Americana, 161.
Dicentra Cucullaria, 94.
Diptera, 172.
Distichlis maritima, 81.
Docks, 199.
Dolichos sinensis, 71.
Echinospermum floribundum, 83.
Echinospermum Redowskii, 82, 83, 190, 191.
Elæagnaceæ, 194.
Elaphomyces, 172.
Elymus, 30.
Elymus condensatus, 31, 81, 83.
Empetrum nigrum, 162.
Epilobium coloratum, 80. 209.
Erigeron armeriæfolius, 191.
Erigeron Canadense, 191, 209.
Erigeron corymbosus, 191.
Erigeron divaricatus, 191.
Erigeron glabellus, 191.
Erigeron macranthus, 190, 209.
Erigeron strigosus, 191.
Eriogonum umbellatum, 83.
Erysiphe cichoracearum, 84.
Erythronium denscanis, 162.
Euchlæna luxurians, 95.
Euonymus atropurpureus, 147.
Eupatorium, 7.
Eupatorium ageratoides, 71.
Eupatorium album, 71.
Eupatorium perfoliatum, 71.
Euphorbia corollata, 76.
Euphorbia esula, 162.

Euphorbia maculata, 9.
Euphorbia Montana, 85.
Everlasting pea, 149.
Falcaria Rivini, 162.
Fern, 199.
Festuca tenella, 161.
Ficaria verna, 162.
Filbert trees, 24, 25.
Fir trees, 91.
Fir woods, 64.
Flax, 215.
Foxtail, 9.
Fragaria vesca, 81.
Fraxinus, 145.
Fraxinus viridis, 94, 142, 155.
Fritillaria Meleagris, 162.
Frondose groves, 62.
Gaillardia aristata, 191.
Galium, 9.
Galium aparine, 143, 162, 190.
Galium boreale, 83, 156.
Gaura biennis, 75.
Gaura coccinea, 80.
Geraniaceæ, 194.
Geranium Carolinianum, 8, 75.
Geranium incisum, 189, 209.
Geranium maculatum, 8.
Geranium molle, 162.
Geranium Richardsoni, 189.
Gilia gracilis, 189.
Gilia linearis, 189.
Glaux maritima, 80.
Gleditschia triacanthos, 19, 94.
Glyceria aquatica, 192.
Glyceria nervata, 192.
Glyceria spectabilis, 162.
Glycyrrhiza lepidota, 80.
Gooseberry, 34.
Gourds, 131.
Gramineæ, 194, 218.
Grape, 45, 131, 204, 219.
Grape vine, 93.
Grasses, 154.
Grasses, dead leaves and culms of, 66.
Grass, living, 187.
Grindelia squarrosa, 81, 191.
Ground, 185.
Gutierrezia Euthamiæ, 191, 192.
Gymnocladus Canadensis, 143.
Hackberry, 177.
Hazel nuts, 131.
Hedysarum boreale, 80.
Helianthus, 7, 209.
Helianthus annuus, 81, 84, 191.
Helianthus Californicus, var. Utahensis, 81, 191.
Helenium autumnale, 191.
Hemlock tree, ground under, 61.
Herbaceous stems, 65.
Heuchera cylindrica, 81.
Heuchera parvifolia, 189, 193.
Hickory, 91.
Hickory limbs, 79.
Hollyhock, 151.
Hop leaves, 145.
Hordeum jubatum, 30, 83, 192.
Hungarian grass, 9.
Hyacinth, 225, 226.
Hydrangea, 145.
Hydrophyllaceæ, 194.
Hydrophyllum Virginicum, 8.
Impatiens fulva, 8.
Ipomœa pandurata, 161, 167, 203.
Ipomœa purpurea, 70.
Iris Missouriensis, 84.
Iva axillaris, 80, 81.
Ixia bulbs, 225.
Japan chestnut, 156.
Juglans nigra, 77, 142, 161.
Juncus longistylis, 83.
Juniperus Virginiana, 84.
Kœleria cristata, 30, 83.
Labiatæ, 194.
Labrusca, 223.
Lactuca, 8, 144.
Lactuca pulchella, 80, 83, 191.
Lampsana communis, 104, 162.
Laris Europæa, 162.
Lathyrus, 150.
Lathyrus latifolius, 149.
Lathyrus ochroleucus, 65.
Leaves, 187.
Leguminosæ, 190, 194.
Lepidium intermedium, 82.
Lepidium Virginicum, 8, 10.
Lewisia rediviva, 80.
Liliaceæ, 218, 225.
Lilium candidum, 46.
Lilium superbum, 103.
Lima beans, 221, 222.
Lindera benzoin, 79.
Linum, 215.
Linum Lewisii, 32, 80, 215.
Linum perenne, 32, 215.
Linum rigidum, 32, 215.
Linum sulcatum, 215.
Linum Virginicum, 215.
Lixus, 172.
Lobelia syphilitica, 76.
Lobelia urens, 76.
Lophanthus scrophulariæfolius, 9.
Lupinus leucophyllus, 82.
Lupinus parviflorus, 190.
Lycium, 152.
Maclura aurantiaca, 145.
Macrorhyncus troximoides, 68.
Magnolia, 19.
Magnolia glauca, 22.
Magnolia grandiflora, 152.
Malvaceæ, 217.
Malva rotundifolia, 79.
Manisurus granularis, 95, 102, 103.
Maple, 153.
Maple logs, bark of, 69.
Maple saplings, dead, 79.
Maple wood, rotten, 70.
Medlar, 131.
Melletia caffra, 95, 102.
Melons, 227.
Mentha Canadensis, var. glabrata, 81.
Mertensia Sibirica, 190, 191, 209.
Mespilus Germanica, 162.
Monarda fistulosa, 81.

Moss, 185.
Muhlenbergia, 30, 31.
Muhlenbergia glomerata, var sitiformis, 31.
Mulgedium leucophæum, 8.
Musca domestica, 171.
Muscaria racemosum, 162.
Musk-melon, 202.
Nasturtium palustre, 8.
Negundo aceroides, 94, 147.
Norway spruces, 26.
Nuphar advena, 146.
Oak, 21, 72, 79, 90.
Oak, dead limbs of, 90.
Oak leaves, 79.
Oak, living, bark of, 72.
Oats, 42, 81, 164, 165, 218.
Œnothera albicaulis, 190.
Œnothera sinuata, 94.
Oleander, stems of, 79.
Onagraceæ, 194.
Onion, 102.
Open woods, 62.
Opuntia Missouriensis, 81.
Orange leaves, 154.
Osage orange, 90.
Oxytropis Lamberti, 65, 83, 190, 209.
Oxytropis Monticola, 83.
Pachytylus migratorius, 172.
Pæony, 146.
Panicum capillare, 94.
Panicum virgatum, 161.
Parietaria debilis, 190, 191.
Passiflora incarnata, 72.
Peaches, 32, 38, 123, 131.
Peach tree, roots of, 199.
Pears, 131.
Pear tree, roots of, 199.
Peas, 214.
Pedicularis palustris, 162.
Peltandra Virginica, 157.
Pentstemon grandiflorus, 161.
Pepper-grass, 10.
Persea, 21.
Persea Carolinensis, 157.
Peucedanum cervaria, 162.
Phacelia Menziesii, 190, 191.
Phalaris arundinacea, 30.
Phanerogams, 218.
Phaseolus lunatus, 222.
Phaseolus vulgaris, 160.
Phlox, 79.
Phlox cæspitosa, 66.
Phlox cæspitosa, var. condensatus, 83.
Phlox divaricata, 79, 151.
Phlox Douglasii, 81.
Phragmitis communis, 95.
Physalis lanceolata, 161.
Physalis pubescens, 161.
Physostegia Virginiana, 150.
Phytoptus galls, 73, 86, 134, 177, 209.
Picea vulgaris, 91.
Pimpinella magna, 162.
Pinus Austriaca, 162.
Pinus Murrayana, 67, 83.
Pirus Americana, 79.
Pirus coronaria, leaves of, 68, 94.
Pirus malus, 19.
Pisum (cult.), 190.
Plantago eriopoda, 80.
Plantago major, 9.
Platanus, 51, 53, 55, 56, 57, 113, 181, 184.
Platanus occidentalis, 54, 161.
Platanus orientalis, 54.
Plum, 38, 123, 176.
Poa, 30, 31, 192, 193.
Poa nemoralis, 162.
Poa tenuifolia, 31, 84, 192, 193.
Polemoniaceæ, 194.
Polygala polygama, 154,
Polygonum aviculare, 9, 161, 162.
Polygonum convolvulus, 9.
Polygonum dumetorum, 9.
Polygonum Muhlenbergii, 81.
Polygonum ramosissimum, 161.
Polyphylla fullo, 173.
Polyporus picipes, old, 70.
Polytænia Nuttallii, 161.
Populus angulata, 32.
Populus angustifolia, 32, 193.
Populus balsamifera, 32, 193.
Populus candicans, 154.
Populus monilifera, 32, 84, 155, 193.
Populus tremuloides, 32, 80, 81, 82, 83, 84, 193.
Potato, 7, 158, 178, 199, 200, 202, 227.
Potentilla, 80.
Potentilla dissecta, 82.
Potentilla Norvegica, 8.
Potentilla Pennsylvanica, 82.
Prenanthes, 8, 150.
Prunus, 20, 177.
Prunus Padus, 41.
Prunus Virginiana, 81, 83, 84, 193.
Psoralea argophylla, 95.
Pumpkin vines, 201.
Pyrola rotundifolia, 80, 145.
Pyrola uniflora, 162.
Quercus macrocarpa, 95.
Quercus nigra, 141.
Quercus palustris, 157.
Quercus tinctoria, 94, 143.
Quercus virens, 157.
Radish, 203.
Ranunculaceæ, 74, 190, 194.
Ranunculus, (abortivus ?), 148.
Ranunculus bulbosus, 104.
Ranunculus Cymbalaria, 80, 81, 190.
Ranunculus ficaria, 44, 104.
Ranunculus macranthus, 190.
Ranunculus repens, 83, 190.
Ranunculus sceleratus, 64, 190.
Rhamnus alaternus, 217.
Rhamnus croceus, 217.
Rheum officinale, 145.
Rhododendron catawbiense, 149.
Rhododendron maximum, 149.
Rhus glabra, 134.
Rhus toxicodendron, 83, 144.
Ribes, 81, 226.
Ribes aureum, 161.
Ribes cereum, 189.
Ribes floridum, 80, 81, 83, 148, 189, 194.
Ribes nigrum, 194,

Ribes rotundifolium, 189, 194, 209.
Riparia, 223.
Robinia pseudacacia, 153.
Rosa (cult.), 160.
Rosa Arkansana, 32, 94.
Rosa blanda, 32, 80, 81, 85.
Rosa canina, 162.
Rosaceæ, 194.
Rosa lucida, 152.
Rosa Sayi, 32, 80, 81.
Rose-stems, 79.
Rose-hips, 131.
Rubiaceæ, 194.
Rubus, 103.
Rubus villosus, 161.
Rye, 171, 203, 204.
Sabal palmetto, 146.
Sage-brush, 31.
Salicineæ, 194.
Salix, 80.
Salix amygdaloides, 32, 83, 193.
Salix cordata, 32, 193.
Salix glauca, 32, 193.
Salix flavescens, 32, 81, 82, 84, 193.
Salix longifolia, 32, 193.
Salix rostrata, 32, 193.
Salvia azurea, var. grandiflora, 161.
Salvia ballatæflora, 95. 102.
Salvia lanceolata, 161.
Sambucus Canadensis, 94.
Sanguisorba minor, 162.
Sapindaceæ, 194.
Sarcobatus vermiculatus, 149.
Sarracenia purpurea, 157.
Sassafras officinale, 21.
Saxifragaceæ, 194.
Schedonnardus Texanus, 94, 161.
Scilla maritima, 162.
Scrophularia nodosa, 9.
Sedum palustre, 162.
Senecio aureus, var. croceus, 81.
Senecio serra, 81.
Setaria viridis, 9.
Shepherdia, 209.
Shepherdia argentea, 189, 209.
Shepherd's-purse, 10.
Sida spinosa, leaves of, 72.
Silene antirrhina, 148.
Silphium, 7.
Silphium integrifolium, 161.
Sisymbrium canescens, 81, 142.
Sisymbrium linifolium, 81, 82.
Sisymbrium officinale, 10.
Sium cicutæfolium, leaves of, 71.
Smilacina bifolia, leaves of, 78.
Smilacina stellata, 83.
Smilax, 152.
Smilax hispida, 149, 161.
Smyrnii olusatrum, 162.
Solanum lycopersicum, 160.
Solanum nigrum, 147.
Solidago Canadensis, 7, 94.
Solidago (Juncea?), 150.
Solidago Missouriensis, 80, 190.
Solidago nana, 190.
Solidago occidentalis, 190.
Solidago rigida, 82, 190.
Solidago serotina, leaves of, 69, 81, 190.
Sonchus arvensis, 162.
Sophora sericea, 161.
Sorbus, 19.
Sorbus aucuparia, 19, 41.
Sorghum, 43, 195, 198, 199.
Sorghum canes, 195.
Sorghum saccharatum, 198.
Sorghum vulgare, 198.
Sorrel, 199.
Spartina cynosuroides, 81.
Specularia leptocarpa, 95.
Specularia perfoliata, 95.
Sporobolus depauperatus, 66.
Spotted Cranesbill, 8.
Squash, 78, 201.
Stachys palustris, 190.
Stephanomeria minor, 83.
Stephanomeria runcinata, 81, 83, 153.
Stipa comata, 30.
Stumps, 200.
Sunflower, 31.
Symphitum officinale, 162.
Symphoricarpus occidentalis, 80, 84, 193.
Symphoricarpus racemosus, var. pauciflorus, 80, 194.
Symphoricarpus vulgaris, 70.
Syringa Chinensis, 146.
Syringa vulgaris, 146.
Taraxacum officinale, 162.
Tecoma radicans, 70.
Tecophilea cyanocrocus, 225.
Teucrium Canadense, 143.
Thalictrum Fendleri, 80.
Thaspium barbinode, 148.
Thermopsis rhombifolia, 65, 84.
Thorn, white, 199.
Thorn, white, roots of, 200.
Tomato, 38, 227.
Trees, dead, 86.
Trifolium arvense, 162.
Trifolium hybridum, 162.
Trifolium longipes, 190.
Trifolium pratense, 160.
Triosteum perfoliatum, leaves of, 73.
Triticum repens, 162.
Troximon glaucum, 82, 83.
Tulip, 226.
Twigs, 187.
Typha latifolia, 81, 83, 84, 193.
Typhaceæ, 194.
Ulmus, 19.
Ulmus Americana, 19, 73, 143.
Umbellifereæ. 218.
Urtica gracilis, 80, 82, 161.
Urticaceæ, 194.
Vaccinium macrocarpon, 41.
Vaccinium myrtillus, 39.
Vaccinium oxycoccus, 39, 41.
Vaccinium uliginosum, 39.
Vaccinium vitis-idæa, 39, 162.
Verbenaceæ 194.
Verbena hastata, 190, 191.
Viburnum dentatum, 20.
Viburnum lentago, leaves of, 69.

Vicia Americana, 9, 80, 190.
Vicia Americana, var. linearis, 83, 194.
Vines, American, 223.
Viola canina, var. sylvestris, 81.
Viola hirta, 162.
Viola odorata, 202.
Viola tricolor, var. arvense, 202.
Violet, 202.
Vitis, 90.
Vitis æstivalis, 93.
Vitis Berlandieri, 223.
Vitis Californica, 67.
Vitis cordifolia, 223.
Vitis riparia, 223.
Vitis rupestris, 223.
Vitis vinifera, 160, 223.
Water-melon, 202.
Wheat, 88, 165, 218.
White Fir, 164.
White Oak, 153, 157.
Willows, 85.
Wood, 184.
Woods, 60, 61, 63.
Woods and thickets, 60.
Xanthoxylum, 152.
Zea Mays, 14, 18.

NAMES AND ADDRESSES OF CONTRIBUTORS.

Anderson, F. W., Great Falls, Mont.
Burrill, T. J., Champaign, Ill.
Cockerell, T. D. A., Westcliffe, Custer County, Colo.
Ellis, J. B., Newfield, N. J.
Everhart, Benjamin M., West Chester, Pa.
Fairchild, David G., Agricultural Department, Washington, D. C.
Fairman, Chas. E., Lyndonville, Orleans County, N. Y.
Galloway, B. T., Agricultural Department, Washington, D. C.
Goff, E. S., Madison, Wis.
Halsted, B. D., New Brunswick, N. J.
Kellerman, W. A., Manhattan, Kans.
Kelsey, Rev. F. D., Helena, Mont.
Knowles, Etta A., St. Joseph, Mo.
Massee, George, Kew, England.
McAdam, Robert K., 4 Rutland square, Boston, Mass.
Pearson, A. W., Vineland, N. J.
Smith, Erwin F., Agricultural Department, Washington, D. C.
Southworth, Effie A., Agricultural Department, Washington, D. C.
Swingle, W. T., Manhattan, Kans.
Weed, Clarence M., Experiment Station, Columbus, Ohio.
Wight, Allan R., Auckland, New Zealand.